

Litteratur til projektet Toksikologi og nanoteknologi

Abbey D E, Nishino N, McDonnell W F (1999) Long-term inhalable particles and other air pollutants related to mortality in nonsmokers. *Am. J. Respir. Crit. Care Med.* 159:373-382.

Afaq F, Abidi P, Matin R, Rahman Q (1998) Cytotoxicity, prooxidant effects and antioxidant depletion in rat lung alveolar macrophages exposed to ultra-fine titanium dioxide. *Applied Toxicology*, 18, 307-312.

Aitken R J, Creely K S, Tran C L (2004) Nanoparticles: An occupational hygiene review. Health & Safety Executive.

Baggs R B, Fern J, Gelein R, Soderholm S C, Finkelsstein J (1997) Regression of pulmonary lesions produced by inhaled titanium dioxide in rats. *Veterinary Pathology*, 34, 592-597.

Bahnemann D W, Kholuiskaya S N, Dillert R, Kulak A I, Kokorin A I (2002) Photodestruction of dichloroacetic acid catalyzed by nano-sized TiO₂ particles. *Applied Catalysis B: Environmental*, 36(2), 161-169.

Baierl T, Drosselmeyer E, Seidel A, Hippeli S (1996) Comparison of immunological effects of Fullerene C₆₀ and raw soot from fullerene production and alveolar macrophages and macrophage like cells in vitro. *Experimental Toxicology and Pathology*, 48, 508-511.

Ballou B, Lagerholm B C, Ernst L A, Bruchez M P, Waggoner A S (2004) Noninvasive imaging of quantum dots in mice. *Bioconjugate Chemistry*, 15, 79-86.

Bang J J, Murr L E (2002) Atmospheric nanoparticles: preliminary studies and potential respiratory health risks for emerging nanotechnologies. *Journal of Materials Science Letters*, 21, 361-366.

Batalha J R F, Saldiva P H N, Clarke R W, Coull B A, Stearns R C, Lawrence J, Murthy G G K, Koutrakis P, Godleski J J (2002) Concentrated ambient air particles induce vasoconstriction of small pulmonary arteries in rats. *Environmental Health Perspectives*, 110(2), 1191-1197.

Beck-Speier I, Dayal N, Karg E, Maier K L, Roth C, Ziesenis A, Heyder J (2001) Agglomerates of ultrafine particles of elemental carbon and TiO₂ induce generation of lipid mediators in alveolar macrophages. *Environmental Health Perspectives*, 109(4), 613-618.

Bermudez E, Mangum J B, Asgharian B, Wong B A, Reverdy E E, Janszen D B, Haxt P M, Warhiet D B, Everitt J I (2002) Long-term pulmonary responses of three laboratory rodent species to subchronic inhalation of pigmentary titanium dioxide particles. *Toxicological Sciences*, 70, 86-97.

Bermudez E, Mangum J S, Wong B A, Asgharian B, Hext P M, Warheit D B, Everitt J I (2004) Pulmonary responses of mice, rats, and hamsters to subchronic inhalation of ultrafine titanium dioxide particles. *Toxicological Sciences*, 77, 347-357.

Bernstein R, Prat F, Foote C (1999) On the mechanism of DNA cleavage by fullerenes investigated in model systems: Electron transfer guanosine and 8-oxo-guanosine derivatives to C60. *Journal of the American Chemical Society*, 121, 464-465.

Besenbacher F (2006) Nanoscience – Nanotechnology at iNANO – Toxicology of nanoparticles. Præsentation til Teknologirådets ekspertgruppe om Toksikologi og Nanoteknologi. 2006.01.11

Beydoun D, Amal R, Low G, McEvoy S (1999) Role of nanoparticles in photocatalysis. *Journal of Nanoparticle Research* 1: 439–458

Borm P J A (2002) Particle toxicology: From coal mining to nanotechnology. *Inhalation Toxicology*, 14, 311-324.

Borm P A, Kreyling W (2004) Toxicological hazards of inhaled nanoparticles--potential implications for drug delivery. *Journal of Nanoscience and Nanotechnology*, 4(5), 521-531.

Borm P J A, Schins R P F, Albrecht C (2004) Inhaled particles and lung cancer, Part B: Paradigms and risk assessment. *International Journal of Cancer* 110: 3-14.

Bosi S, Feruglio L, Da Ros T, Spalluto G, Gregoretto B, Terdoslavich M, Decorti G, Passamonti S, Moro S, Prato M (2004) Hemolytic effects of water-soluble fullerene derivatives. *Journal of Medicinal Chemistry*, 47: 6711-6715.

Bottini M, Bruckner S, Nika K, Bottini N, Bellucci S, Magrini A, Bergamaschi A, Mustelin T (2006) Multi-walled carbon nanotubes induce T lymphocyte apoptosis. *Toxicology Letters* 160: 121-126.

British Standards Institution (2005) Vocabulary – Nanoparticles, PAS 71:2005. Publicly Available Specification. British Standards Institution, London.

Brook R D, Brook J R, Urch B, Vincent R, Rajagopalan S, Silverman F (2002) Inhalation of fine particulate air pollution and ozone causes acute arterial vasoconstriction in healthy adults. *Circulation*, 105, 1534-1536.

Calderon-Gardieunas L, Azzarelli B, Acune H, Garcia R, Gambling T M (2002) Air pollution and brain damage. *Toxicologic Pathology*, 30(3), 373-389.

Chen H H C, Yu C, Ueng T H, Liang C T, Chenc B J, Hong C C, Chiang Y (1997) Renal effects of water-soluble polyarylsulfonated C60 in rats with an acute toxicity study. *Fullerene Science and Technology*, 5(7): 1387-1396.

Chen H H, Yu C, Ueng T H, Chen S, Chen B J, Huang K J, Chiang L Y (1998) Acute and subacute toxicity study of water-soluble polyalkylsulfonated C60 in rats.

Toxicologic Pathology, 26, 143-151.

Chen J L, Fayerweather W E (1988) Epidemiologic study of workers exposed to titanium dioxide, *Journal of Occupational Medicine*. Official Publication of the Industrial Medical Association. 30: 937-942.

Christensen F M, Andersen O, Duijm N J, Knudsen I, Harrmoës P (2002) Risikoterminologi – oplæg til fælles forståelse og bedre dialog, Miljørisikorådet, Akademiet for de Tekniske Videnskaber.

Christiansen K (2004) Notat om miljømæssige, sundhedsmæssige, sikkerhedsmæssige og etiske aspekter af nanoteknologi. 2.-0 LCA consultants for Risø.

Christiansen K, Dannemand P (2004) Background paper on environmental and risk aspects of nanotechnology, 2.-0 LCA consultants and Risø for VTU.

Churg A, Stevens B, Wright J (1998) Comparison of the uptake of fine and ultrafine TiO₂ in a tracheal explant system. *American Journal of Physiology*, 274, L81-L86.

Colvin V (2002) Nanotechnology: Environmental Impact, Chemistry Department, Center for Biological and Environmental Nanotechnology, Rice University, Texas, USA.

Colvin V (2003) The potential environmental impact of engineered nanomaterials. *Nature Biotechnology* 21 (10) 1166-1170.

Cui D, Tian F, Ozkan C S, Wang J, Gao H (2005) Effect of single wall carbon nanotubes on human HEK293 cells. *Toxicology Letters*, 155, 73-85.

Davies J C (2005) Managing Effect of Nanotechnology. Woodrow Wilson International Center for Scholars. Project on Emerging Nanotechnologies.

Delfino R J, Sioutas C, Malik S (2005) Potential role of ultrafine particles in associations between airborne particle mass and cardiovascular health. *Environmental Health Perspectives*, 113(8), 934-946.

Derfus A M, Chan W C W, Bhatia S N (2003) Probing the cytotoxicity of semiconductor quantum dots. *Nano Letters*, 4(1), 11-18.

Ding L, Stilwell J, Zhang T, Elboudwarej O, Jiang H, Selegue J P, Cooke P A, Gray J W, Chen F F (2005) Molecular characterization of the cytotoxic mechanism of multiwall carbon nanotubes and nano-onions on human skin fibroblast. *Nano Letters* 5(12): 2448-2464.

Dockery D W, Pope A C, Xu X (1993). An association between air pollution and mortality in six U.S. cities. *New England Journal of Medicine*, 329:1753-1759.

Dominici F, McDermott A, Zeger S L, Samet J M (2002) On the use of generalized

additive models in time series studies of air pollution and health. *American Journal of Epidemiology*, 156:193-203.

Donaldson K, Beswick P H, Gilmour PS (1996) Free radical activity associated with the surface of particles: A unifying factor in determining biological activity. *Toxicology Letters*, 88: 293-298.

Donaldson K, Stone V, Clouter A, Renwick L, MacNee W (2001) Ultrafine particles. *Occupational and Environmental Medicine*, 58, 211-216.

Donaldson K, Borm P (2004) Particle and fibre toxicology, a new journal to meet a real need. *Particle and Fibre Toxicology*. 1 (1), 1-3.

Donaldson K, Aitken R, Tran L, Stone V, Duffin R, Forrest G, Alexander A (2006) Carbon nanotubes: A review of their properties in relation to pulmonary toxicological and workplace safety. *Toxicological Sciences*. Prepublication online.

Dreher K L (2004) Health and environmental impact of nanotechnology: toxicological assessment of manufactured nanoparticles. *Toxicological Sciences*, 77, 3-5.

Dubertret B, Skourides P, Norris D J, Noireaux V, Brivanlou A H, Libchaber A (2002) In vivo imaging of quantum dots encapsulated in phospholipid micelles. *Science*, 28(5599), 1759-1762.

Dunford R, Salinaro A, Cai L, Serpone N, Horikoshi S, Hidaka H, Knowland J (1997) Chemical oxidation and DNA damage catalyzed by inorganic sunscreen ingredients. *FEBS Letters*, 418, 97-90.

Eedy D J (1996) Carbon-fiber-induced airborne irritant contact dermatitis. *Contact Dermatitis*, 35: 362.

European Commission (2004a) Nanotechnologies: A preliminary risk analysis on the basis of a workshop organized in Brussels on 1-2 March 2004 by the Health and Consumer Protection Directorate General of the European Commission.

European Commission (2004b) Towards a European strategy for nanotechnology, Communication from the Commission of the European Communities, COM(2004) 338 final, Brussels.

<http://www.cordis.lu/nanotechnology/src/communication.htm>

Evelyn A, Mannick S, Sermon P A (2003) Unusual carbon-based nanofibers and chains among diesel-emitted particles. *Nano Letters*, 3(1), 63-64.

Florito S, Serafino A, Andreola F, Togna A, Tongna G (2006) Toxicity and biocompatibility of carbon nanoparticles. *Journal of Nanoscience and Nanotechnology*, 6(3): 591-599.

Foley S, Crowley C, Smaih J, Bonfils C, Eflanger B F, Seta P, Larroque C (2002)

Cellular localization of a water-soluble fullerene derivative. *Biochemical Biophysical Research Communications*, 294, 116-119.

Foley, S., Curtis, A.D.M, Hirsch, A., Brettreich, M., Pelegrin, A., Seta, P., Larroque, C. (2002). Interaction of a water soluble fullerene derivative with reactive oxygen species and model enzymatic systems. *Fullerenes, Nanotubes, Carbon Nanostructures*, 10: 49-67.

Foot, C. S., Diederich, F. N., Whetten, R., Wudl, F. (1991). Buckminsterfullerene. *Chemical and Engineering News*, (Dec. 17), p. 2.

Fortner JD, Lyon DY, Sayes CM, Boyd AM, Falkner JC, Hotze EM, Alemany LB, Tao YJ, Guo W, Ausman KD, Colvin VL, Hughes JB. (2006) C60 in Water: Nanocrystal formation and Microbial response. *Environ Sci Technol* 39:4307–4316.

Friends of the Earth (2006) *Nanomaterials, Sunscreens and Cosmetics: Small Ingredients, Big Risks*. [Link to Website and Report](#)

Gainesville (2004) *Developing Experimental Approaches for the Evaluation of Toxicological Interactions of Nanoscale Material*, Workshop, November 3-4, 2004. University of Florida Hotel and Conference Center, Gainesville, Florida.

Green M, Howman E (2005) Semiconductor quantum dots and free radical induced DNA nicking. *Chemical Communications*, 1, 121-1213.

Gulston M, Knowland J (1999) Illumination of human keratinocytes in the presence of the sunscreen ingredient padimate-O and through an SPF-15 sunscreen reduces direct photodamage to DNA but increases strand breaks, *Mutation Research*, 444, 49-60.

Hardman, R. (2005). A toxicological review of quantum dots: Toxicity depends on physico-chemical and environmental factors. *Environmental Health Perspectives*, 114(2): 165-172. Accessed on March 5, 2006. [Article - PDF](#)

Hardman R (2006) A toxicologic review of quantum dots: toxicity depends on physicochemical and environmental factors, *Environmental Health Perspectives* 114:165–172. Resume i "Science for Environment Policy" a service from the European Commission, 23 February 2006 Issue 11.

Haum R, Petschow U, Steinfeldt M, von Gleich A (2004) Nanotechnology and Regulation within the framework of the Precautionary Principle. *Institut für ökologische Wirtschaftsforschung (IÖW)*, 43 pp.

Heinrich, U., Fuhst, R., Rittinghausen, S., Creutzenberg, O., Bellmann, B., Koch, W., Levsen, K. (1995). Chronic inhalation exposure of Wistar rats and two different strains of mice to diesel engine exhaust, carbon black and titanium dioxide. *Inhalation Toxicology*, 7: 533-556.

Hidaka, H., Horikoshi, S., Serpone, N., Knowland, J. (1997). In vitro photochemical

damage to DNA, RNA and their bases by an inorganic sunscreen agent on exposure to UVA and UVB radiation. *Journal of photochemistry and Photobiology A: Chemistry*, 111(1-3), 205-213.

Hirano, S., Nitta, H., Moriguchi, Y., Kobayashi, S., Kondo, Y., Tanabe, K., Kobayashi, T., Wakamatsu, S., Morita, M., Yamazaki, S. (2003). Nanoparticles in emissions and atmospheric environment: Now and future. *Journal of Nanoparticle Research*, 5: 311-321.

Hoshino, A., Hanaki, K., Suzuki, K., Yamamoto, K. (2004a). Applications of T-lymphoma labeled with fluorescent quantum dots to cell tracing markers in mouse body. *Biochemical and Biophysical Research Communications*, 314, 46-53.

Hoshino, A., Fujioka, K., Oku, T., Suga, M., Sasaki, Y. F., Ohta, T., Hasuhara, M., Suzuki, K., Yamamoto, K. (2004b). Physicochemical properties and cellular toxicity of nanocrystal quantum dots depend on their surface modification. *Nano Letters*, 4(11): 2163-2169.

Huczko, A., Lange, H. (1999). Fullerenes: experimental evidence for a null risk of skin irritation and allergy. *Fullerene Science & Technology*, 7: 935-939.

Huczko, A., Lange, H., Calko, E., Grubek-Jaworska Droszc, P. (2001). Physiological testing of carbon nanotubes: Are they asbestos-like? *Fullerene Science & Technology*, 9: 251-254.

IARC (2006) Monographs on the Evaluation of Carcinogenic Risks to Humans, vol 93 (In press), Lyon, Frankrig 2006.

IFTS (2006) Information statement on nanotechnology. Institute of Food Science and Technology, Public Affairs and Technical & Legislative Committees.

Isakovic, A., Markovic, Z., Todorovic-Markovic, T., Nikolic, N., Vranjes-Djuric, S., Mirkovic, M., Dramicanin, M., Harhaji, L., Raicevic, N., Nikolic, Z., Trajkovic, V. (2006). Distinct cytotoxic mechanisms of pristine versus hydroxylated fullerene. *Toxicological Sciences Online*, Abstract or Doi: 10.1093/toxsci/kfj127.

J. Nelson, C. Olson, A. M. Eppler, D. Poplavskyy, P. Ravirajan, F. M. Braun, R. Pacios, J. Cabanillas-Gonzalez, and D. D. C. Bradley (2005) Dye Sensitized and Organic Solar Cells.

<http://www.imperial.ac.uk/research/exss/research/molecular/orgsolar/index.htm>

Jaiswal, J. K., Mattoussi, H., Mauro, J. M., Simon, S. M., (2003). Long-term multiple color imaging of live cells using quantum dot bioconjugates. *Nature Biotechnology*, 21, 47-51.

Jefferson, D. A. (2000). The surface activity of ultrafine particles. *Philosophical Transactions of the Royal Society of London*. A358: 2683-2691.

Jia, G., Wang, H., Yan, L., Wang, X., Pei, R., Yan, T., Zhao, Y., Guo, X. (2005).

Cytotoxicity of carbon nanomaterials: Single-wall nanotube, multi-wall nanotube, and fullerene. *Environmental Science & Technology*, 39(5): 1378-1383.

Jong WH (2004) Mapping out nano risks. Some considerations on possible toxicity, [In:] European Communities. *Nanotechnologies: A preliminary risk analysis on the basis of a workshop organized in Brussels on 1-2 March 2004 by the Health and Consumer Protection Directorate General of the European Commission*. 51-52.

Kamat, J.P., Devasagayam, T.P.A., Mohan, H., Chiang, L.Y., Mitall, J.P. (1998a) Effect of C-60(OH)(18) on membranes of rat liver microsomes during photosensitization. *Fullerene Science and Technology*, 6: 663-679.

Kamat, J. P., Debasagayam, T. P., Priyadarsini, K. I., Mohan, H. Mittal, J.P. (1998b). Oxidative damage induced by the fullerenes C60 on photosensitization in rat liver microsomes. *Chem. Biol. Interact.* 114, 145-159.

Kamat, J.P., Devasagayam, T.P.A., Priyadarsini, K.I., Mohan, H. (2000). Reactive oxygen species mediated membrane damage induced by fullerene derivatives and its possible biological implications. *Toxicology*, 155: 55-61.

Kim S-C, Lee D-K. (2005). Preparation of TiO₂-coated hollow glass beads and their application to the control of algal growth in eutrophic water. *Microchem J* 80: 227-232.

Kipen H M, Laskin D L (2005) Smaller is not always better: Nanotechnology yields nanotoxicology. *American Journal of Physiology: Lung, Cellular, and Molecular Physiology*, 289, L696-L697.

Kisin, E., Jurray, A. R., Johnson, V., Gorelik, O., Arepalli, S., Gandelsman, V. Z., Hubbs, A. F., Mercer, R. R., Baron, P. Kagan, V. E., Castranova, V., Shvedova, A. A. (2005). Pulmonary toxicity of carbon nanotubes. *Toxicologist*, 84(Suppl 1), 212.

Kleeman, M. J., Schauer, J. J. Cass, G. R. (2000). Size and composition distribution of fine particulate matter emitted from motor vehicles. *Environmental Science & Technology*, 34, 1132-1142.

Knappen, A.M., Borm, P.J.A., Albrecht, C., Schins, R.P.F. (2004). Inhaled particles and lung cancer. Part A: Mechanisms. *International Journal of Cancer*.

Kotelnikova, R. A., Kotelnikova, A. I., Bodganov, G. N., Romanova, V. S., Kuleshova, E. F., Parnes, Z. N., Vol'pin, M. E. (1996). Membranotropic Properties of the water soluble amino acid and peptide derivatives of fullerene C60. *FEBS Letters*, 389,111-114.

Krajl, M., Pavelic, K. (2003). Medicine on a small scale. *European Molecular Biology Organization*, 4(11): 1008-1012.

Kreuter, J. (2004). Influence of the surface properties on nanoparticle-mediated transport of drugs to the brain. *Journal of Nanoscience and Nanotechnology*, 4,

484-488.

Kreuter, J. Shamenkov, D., Petrov, V., Ramge, P. Cychutek, K., Koch-Brandt, C., Alyautdin, R. (2002). Apolipoprotein-mediated transport of nanoparticle-bound drugs across the blood-brain barrier. *Journal of Drug Targeting*, 10(4), 317-325.

Krewski, D. (2000). Reanalysis of the Harvard Six Cities study and the American Cancer Society study of particulate air pollution and mortality: executive summaries and commentary. Health Effects Institute (HEI). July 2000.

Krewski, D., Burnett, R. T., Goldberg, M., Hoover, K., Siemiatycki, J., Abrahamowicz, M., White, W. (2005a). Reanalysis of the Harvard Six Cities Study, Part II: Validation and replication. *Inhalation Toxicology*, 17(7-8), 335-342.

Krewski, D., Burnett, R. T., Goldberg, M., Hoover, K., Siemiatycki, J., Abrahamowicz, M., Villeneuve, P. J., White, W. (2005b). Reanalysis of the Harvard Six Cities Study, Part II: Sensitivity analysis. *Inhalation Toxicology*, 17(7-8), 343-353.

Kuhn, K. P., Chaberny, I. F., Massholder, K., Stickler, M., Benz, V. W., Sonntag, H. G., Erdinger, L. (2003). Disinfection of surfaces by photocatalytic oxidation with titanium dioxide and UVA light. *Chemosphere*, 53, 71-77.

Lam C-W, James J T, McCluskey R, Hunter R L (2004) Pulmonary Toxicity of Single-Wall Carbon Nanotubes in Mice 7 and 90 Days After Intratracheal Instillation. *Toxicological Sciences* 77, 126-134

Lam, C.W., James, J., McCluskey, R., Sivaram, A., Hunter, R. (2006). A review of carbon nanotube toxicity and assessment of potential occupational and environmental health risks. *Critical Reviews in Toxicology*, 36(3): 189-217.

Larsen B (2005) Nano-DTU: Præsentation til Teknologirådets ekspertgruppe om Toksikologi og Nanoteknologi. 2005.12.05

Larson, D. R., Zipfel, W. R., Williams, R. M., Clark, S. W., Bruchez, M. P., Wise, F. W., et al. (2003). Water-soluble quantum dots for multiphoton fluorescence imaging in vivo. *Science*, 300(5624), 1434-1436.

Lauterwasser C (200?) Opportunities and risks of Nanotechnologies. Report in cooperation with the OECD International Futures Programme. Allianz AG, München.

Lee, K.P., Trochomowicz, Reinhardt, C. F. (1985). Pulmonary response of rats exposed to titanium dioxide (TiO₂) by inhalation for two years. *Toxicology and Applied Pharmacology*, 79, 179-192.

Lee S-H, Pumprueg S, Moudgil B, Sigmund W. (2005). Inactivation of bacterial endospores by photocatalytic nanocomposites. *Colloid Surface B* 40: 93-98.

Lepeule, J., Rondeau, V., Filleui, L. and Dartiques, J.F. (2006) Survival analysis to estimate association between short-term mortality and air pollution.

Environmental Health Perspectives 114(2): 242-247. [Article - PDF](#)

Li, N., Sioutas, C., Cho, A., Schmitz, D., Misra, C., Sempf, J., Wang, J., Oberley, T., Froines, J., Nel, A. 2003. Ultrafine particulate pollutants induce oxidative stress and mitochondrial damage. *Environmental Health Perspectives*, 111(4), 455-460.

Li, S., Salmen, R., Hulderman, T., Kisin, E., Shvedova, A., Luster, M. Simeonaova, P. (2004). Pulmonary carbon nanotube exposure and oxidative status in vascular system. *Free Radical Biology & Medicine*, 37(Suppl 1), S142-S143.

Liu, Z. S., Tang, S. L. Ai, Z. L. (2003). Effects of hydroxyapatite nanoparticles on proliferation and apoptosis of human hepatoma BEL-7402 cells. *World Journal of Gastroenterology*, 9, 1968-1971.

Lovern S B, Klaper R D, Strickler J. (2004). Exposure of Daphnia to a variety of nanoparticles. Abstract US SETAC 2004.

Lovern S B Klaper R D (2005). Impact of titanium dioxide and carbon nanoparticles on Daphnia magna. Abstract SETAC 2005, Midwest Regional Chapter Annual Meeting.

Lovern S B, Klaper R D (2006). Daphnia Magna mortality when exposed to titanium dioxide and fullerene (C60) nanoparticles. *Environmental Toxicology and Chemistry*, 25(4): 1132-1137.

Lovrick, J., Bazzi, H.S., Cuie, Y., Fortin, G. R., Winnik, F. M. Maysinger, D. (2005). Differences in subcellular distribution and toxicity of green and red emitting CdTe quantum dots. *Journal of Molecular Medicine*, 83, 377-385.

Lu, P. J., Ho, I. C., Lee, T. C. (1998). Induction of sister chromatid exchanges and micronuclei by titanium dioxide in Chinese hamster ovary-K1 cells. *Mutation Research*, 414, 15-20.

Luther W (2004) Industrial application of nanomaterials – chances and risks. Technology analysis, VDI Technologiezentrum, 112 pp.

Lyon DY, Fortner JD, Sayes CM, Colvin VL, Hughes JB- (2005) Bacterial cell association and antimicrobial activity of C60 water suspension. *Environ. Toxicol. Chem.* 24: 2757-2762

Malsch I, Gleiche M, Hoffschulz H, Locatelli I M, Nicollet C, Guibert J P, Bøgedal M, Morrison M (2004) Benefits, risks, ethical, legal and social aspects of nanotechnology. European Nanotechnology Gateway. Nanoforum, 161 pp.

Maness, P. C., Smolinski, S., Blake, D. M., Huang, Z. Wolfrum, E. J. Jacoby, W. A. (1999). Bactericidal activity of photocatalytic TiO₂ reaction: toward an understanding of its killing mechanism. *Applied Environmental Microbiology*, 65, 4094-4098.

Mashino, T., Usui, N., Okuda, K., Hirota, T., Machizuki, M. (2003). Respiratory chain inhibition by fullerene derivatives: Hydrogen peroxide production caused by fullerene derivatives and a respiratory chain system. *Bioorganic & Medicinal Chemistry* 11: 1433-1438.

Maynard, A. D., Baron, P. A., Foley, M., Shvedova, A. A., Kisin, E. R., Castranova, V. (2004). Exposure to carbon nanotube material: Aerosol release during the handling of unrefined single-walled carbon nanotube material. *Journal of Toxicology and Environmental Health, Part A* (67), 87-100.

McDonnell, W. F., Nishino-Ishikawa, N., Petersen, F. F., Chen, L. H., Abbey, D. E. (2000). Relationships of mortality with the fine and coarse fractions of long-term ambient PM10 concentrations on nonsmokers. *Journal of Exposure Analysis & Environmental Epidemiology*, 10:427-436.

Meili, Christoph (2006) Nano-Regulation. A multi-stakeholder-dialogue-approach towards a sustainable regulatory framework for nanotechnologies and nanosciences. The Innovation Society www.innovationsociety.ch.

Memisoglu-Bilensoy, E., Dogan, A.L. Atilla Hincal, A. (2006). Cytotoxic evaluation of injectable cyclodextrin nanoparticles. *Journal of Pharmacy and Pharmacology*. 58: 585-589.

Mercer, R. R., Scallonia, J., Kisin, K., Forelik, O., Arepalli, S., Murray, A. R., Castranova, V., Shvedova, A. A. Responses of lung parenchyma to carbon nanotubes. (2005) *Toxicologist*, 84(Suppl1), 213.

Michalet, X., Pinaud, F. F., Bentolila, L. A., Tsay, J. M., Doose, S., Li, J. J., Sundaresan G., Wu, A. M., Gambhir, S. S. Weiss, S. (2005). Quantum dots for live cells, in vivo imaging, and diagnostics. *Science*, 307, 538-544.

Michalson E (2004) Analyzing the European Approach to Nanotechnology. Occasional Paper on Nanotechnology. Woodrow Wilson Center, <http://www.environmentalfutures.org/nanotech.htm>

Miljøstyrelsen (2003) Gennemgang af miljøreguleringen med fokus på sundhedsaspekterne. Miljøprojekt 843, 2003. Miljøstyrelsen, København. <http://www.mst.dk/udgiv/Publikationer/2003/87-7972-883-9/pdf/87-7972-884-7.PDF>

Monteiro-Riviere, N. A., Nemanich, R. J., Inman, A. O., Wang, Y. Y. Riviere, J.E. (2005). Multi-walled carbon nanotube interactions with human epidermal keratinocytes. *Toxicology Letters*, 155, 377-384.

Morey, T. E., Varshney, M., Flint, J. A., Seubert, C. N., Smith, W. B., Bjoraker, D. G. et al. (2004). Activity of microemulsion-based nanoparticles at the human bio-nano interface: Concentration-dependent effects on thrombosis and hemolysis in whole blood. *Journal of Nanoparticle Research*, 6, 159-170.

Moriguchi, T., Yano, K., Hokari, S., Sonda, M. (1999). Effect of repeated application of C60 combined with UVA radiation onto hairless mouse back skin. *Fullerene Science and Technology*, 7(2): 195-209.

Moussa, F., Trivin, F., Ceolin, M., Hadchousel, P. Y., Sizaret, V., Greugny, V., Fabre, C., Rassat, A., Szwarc, H. (1996). Early effects of C60 administration in Swiss mice: A preliminary account for in vivo C60 toxicity. *Fullerene Science and Technology*, 4(1): 21-29.

Müller J, Remmen A, Christensen P (1984) Samfundets teknologi: Teknologiens samfund. Systime, Herning.

Muller, J., Huax, F., Moreau, N., Misson, P. Heilier, J. F., Delos, M., Arras, M., Fonseca, A., Nagy, J. B., Lison, D. (2005). Respiratory toxicity of multi-wall carbon nanotubes. *Toxicology and Applied Pharmacology* 207:221-231.

Muller, R. H., Radtke, M. Wissing, S.A. (2002). Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Advanced Drug Delivery Reviews*, 54(1): S131-S155.

Murr, L. E., Bang, J. J., Esquivel, E. V., Guerrero, P. A., Lopez, D. A. (2004). Carbon nanotubes, nanocrystal forms, and complex nanoparticle aggregates in common fuel-gas combustion sources and the ambient air. *Journal of Nanoparticle Research* 6: 241-251.

Nakagawa, Y., Wakuri, S., Sakamoto, K., Tanaka, N. (1997). The photogenotoxicity of titanium dioxide particles. *Mutation Research*, 394, 125-132.

Nakajima, N., Nishi, C., Li, F. M., Ikada, Y. (1996). Photo-induced cytotoxicity of water-soluble fullerene. *Fullerene Science & Technology*, 4(1): 1-19.

Nel A (2005) Air pollution-related illness: Effects of particles. *Science* 308: 804-806.

Nelson, M. A. Bomann, F. E., Bowden, G. T., Hooser, S. B. Fernando, Q. (1993). Effects of acute and subchronic exposure of topically applied fullerene extracts on the mouse skin. *Toxicology and Industrial Health*, 9(4): 623-630.

Nemmar, A. Vanbilloen, H., Hoyalerts, M.F., Hoet, P. H. M., Verbruggen, A., Nemery, B. (2001). Passage of intratracheally instilled ultrafine particles from the lung into the systemic circulation in hamster. *American Journal of Respiratory & Critical Care Medicine*, 164: 1665-1668.

Nigavekar, S., Sung, L. Y., Llanes, M., El-Jawahri, A., Lawrence, T. S., Christopher, W. B., Balogh, L., Khan, M. (2004). 3H dendrimers nanoparticles organ/tumor distribution. *Pharmaceutical Research* 21(3): 476-483.

Norges Forskningsråd (2005) Nanoteknologier og nye materialer: Helse, miljø, etikk og samfund – Nasjonale forsknings- og kompetencebehov, Oslo.

Oberdörster E (2004) Toxicity of nC60 fullerenes to two aquatic species: Daphnia and largemouth bass [Abstract]. In: 227th American Chemical Society National Meeting, 27 March–1 April 2004, Anaheim, CA. Washington, DC:American Chemical Society, IEC 21.

Oberdorster, E. 2004a. Manufactured nanomaterials (fullerenes, C 60) induce oxidative stress in the brain of juvenile largemouth bass. *Environmental Health Perspectives*, 112(10), 1058-1062.

Oberdorster, G., Ferin, J., Felein, R., Soderholm, S. C., Finkelstein, J. (1990). Increased pulmonary toxicity of ultrafine particles? II. Lung lavage studies. *Journal of Aerosol Science*, 21: 384-391.

Oberdorster, G., Ferin, J., Lehnert, B.E. (1994). Correlation between particle size, in vivo particle persistence and lung injury. *Environmental Health Perspectives*, 102 (Suppl 5): 173-179.

Oberdorster, G. 1994. Respiratory tract dosimetry of particles: Implications for setting of exposure concentrations and extrapolation modeling. In, P.G. Jenkins, D. Kayser, H. Muhle, G. Rosner, E.M. Smith (Eds.) *Respiratory Toxicology and Risk Assessment, Proceedings of an International Symposium. IPCS Joint Series No. 18.* Wissenschaftlicher Verlag, Stuttgart, 83-110.

Oberdorster, G., Gelein, R., Ferin, J., Weiss, B. (1995). Association of particle air pollution and acute mortality: Involvement of ultrafine particles? *Inhalation Toxicology*, 7: 111-124.

Oberdorster, G., Elder, A., Gelein, R., Lunts, A., Sharp, Z., Atudorei, V., Kreyling, W. G., Cox, C. (2002). Extrapulmonary translocation of ultrafine carbon particles following whole-body inhalation exposure of rats. *Journal of Toxicology & Environmental Health*, 65(20), 1531-1543.

Oberdorster, G., Sharp, S., Atudorei, V., Elder, A., Gelein, R., Kreyling, W. et al. (2004). Translocation of inhaled ultrafine particles to the brain. *Inhalation Toxicology*, 46, 437-445.

Oberdörster G, Oberdörster, E, Oberdörster J (2005a) Nanotoxicology: An emerging discipline evolving from studies of ultrafine particles. *Environmental health perspectives* 133 (7), 823-839

Oberdorster G, Maynard A, Donaldson K, Castranova V, Fitzpatrick J, Ausman K, Carter J, Karn B, Kreyling W, Lai D, Olin S, Monteiro-Riviere N, Warheit D, Yang H (2005b) Principles for characterizing the potential human health effects from exposure to nanomaterials: elements of a screening strategy. *Particle and Fibre Toxicology* 2:8.

OXERA (Oxford Economic Research Associates Ltd). (2000). *Policy, risk and science: Securing and using scientific advice*, 119 pp.

- Peters, A., Dockery, D. W., Muller, J. E., Mittleman, M. A. (2001). Increased particulate air pollution and the triggering of myocardial infarction. *Circulation*, 103, 2810-2815.
- Peters, A., Pope, C.A. (2002). Cardiopulmonary mortality and air pollution. *The Lancet*. 360:1184-1185.
- Pickering, K. D., Wiesner, M.R. (2005). Fullerol-sensitized production of reactive oxygen species in aqueous solution. *Environmental Science & Technology*, 39, 1359-1365.
- Pope C A, Thun M J, Namboodiri N M (1995). Particulate air pollution as a predictor of mortality in a prospective study of U.S. adults. *American Journal of Respiratory Critical Care Medicine*, 151:669-674.
- Pope C A, Burnett R T, Thun M J, (2002). Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particulate air pollution. *Journal of the American Medical Association*, 287:1132-1141.
- Potapovich, A., Osipov, A. N., Kisin, E. R., Schwegler, B. D., Shvedova, A. A., Kagan, V. E. (2005). Single-walled carbon nanotubes activate raw 264.7 macrophages: role in oxidative stress and inflammatory response. *Toxicologist*, 84(Suppl 1), 468.
- Preining, O. (1998). The physical nature of very, very small particles and its impact on their behavior. *Journal of Aerosol Science*, 29: 481-495.
- Preisler M (2005) Nanofood på fremtidens menu. Samvirke april 2005. Kan også ses på <http://www.fdb.dk/default.asp?id=1&aid=873>.
- Prichard, D. K. (2004). Literature review-explosion hazards associated with nanopowders No. 12). Health & Safety Laboratory.
- Put J (2004) Mapping out Nano Risks [In:] European Communities. Nanotechnologies: A preliminary risk analysis on the basis of a workshop organized in Brussels on 1-2 March 2004 by the Health and Consumer Protection Directorate General of the European Commission. pp 119-120.
- Radomski, A., Jurasz, P., Alonso-Escalano, D., Drews, J., Morandi, M., Malinski, T., Radomski, M.W. (2005). Nanoparticle-induced platelet aggregation and vascular thrombosis. *British Journal of Pharmacology*, 146: 882-893.
- Rahman, Q., Lohani, M., Dopp, Elke, Pemsel, H, Jonas, L. Weiss, D. G., Shiffmann, D. (2002). Evidence that ultrafine titanium dioxide induces micronuclei and apoptosis in Syrian hamster embryo fibroblasts. *Environmental Health Perspectives*, 110(8), 797-800.
- Randan, F., Rosan, S., Boehm, F., Cantrell, A., Brellreich, M., Schoenberger, H., Hirsch, A., Moussa, F. (2002). Cytotoxicity and photocytotoxicity of a dendritic C(60) mono-adduct and a malonic acid C(60) tris-adduct on Jurkat cells. *Journal of*

Photochemistry and Photobiology B, 67, 157-162.

Reisch, M. S. (2003). Essential minerals: Workhorse pigment titanium dioxide is also the stuff that dreams are made of. *Chemical & Engineering News*, (March 31), 13-14.

Renwick, L. C., Donaldson, K., Clouter, A. (2001). Impairment of alveolar macrophage phagocytosis by ultrafine particles. *Toxicology and Applied Pharmacology*, 172: 119-127.

Renwick, L. C., Brown, D., Clouter, A., Donaldson, K. (2004). Increased inflammation and altered macrophage chemotactic responses caused by two ultrafine particle types. *Occupational and Environmental Medicine*, 61: 442-447.

Ricci, A., Chretien, M.N., Maretta, L. Scaino, J. C. (2003). TiO₂-promoted mineralization of organic sunscreens in water suspension and sodium dodecyl sulfate micelles. *Photochemistry and Photobiology*, 2, 487-492.

Rincon, A. G. Pulgarin, C. (2003). Photocatalytic inactivation of *E. coli*: effect of (continuous-intermittent) light intensity and of (suspended-fixed) TiO₂ concentration. *Applied Catalysis B-Environmental*, 44, 263-284.

Ripple, S. S., Petroni, D. H. George, W. J. (2005). Ambient particulate matter, C-reactive protein, and coronary artery disease. *Inhalation Toxicology*, 17(7-8), 409-413.

Rossatto, V., Picatonotto, T., Vione, D. Carlotti, M.E. (2003). Behavior of some rheological modifiers used in cosmetics under photocatalytic conditions. *Journal of Dispersion Science & Technology*, 24, 259-271.

Roszek B, de Jong W H, Geertsma R E (2005) Nanotechnology in medical applications. RIVM report 265001002/2005

Royal Society & Royal Academy of Engineering (2004) Nanoscience and nanotechnologies: Opportunities and uncertainties. Royal Society and Royal Academy of Engineering, London.

Rushton, E. K., Oberdorster, G., Finkelstein, J. (2005). Nanoparticles are capable of producing reactive oxygen species, upregulation of inflammatory cytokine expression and causing increased cytotoxicity. Paper presented at the 2nd International Symposium on Nanotechnology and Occupational Health. Oct. 3-6, Minneapolis, MN.

Ryman-Rasmussen J R, Riviere J E, Monteiro-Riviere N A (2006) Penetration of intact skin by quantum dots with diverse physiochemical properties. *Toxicological Sciences*. Prepublication online. [Abstract](#)

Sakai, A. Yamakoshi, Y., Miyata, N. (1999). Visible light irradiation of 60 fullerene causes killing and initiation of transformation in BALB/3T3 cells. *Fullerene Science*

& Technology, 7, 743-756.

Samet, J. M., Dominici, F., Curriero, F., Coursac, I., Zeger, S. L. (2000a). Fine particulate air pollution and mortality in 20 U.S. cities. *New England Journal of Medicine*, 343:1742-1749.

Samet, J. M., Zeger, S. L., Dominici, F. et al. (2000b). National morbidity, mortality, and air pollution. part I: morbidity, mortality, and air pollution in the United States. *Research Report of the Health Effects Institute*, 94 Pt 1:5-14.

Sayes, C. M., Fortner, J. D., Guo, W., Lyon, D., Boyd, A. M., Ausman, K. D., Tao, Y. J., Sitharaman, B., Wilson, L. J., Hughes, J. B., West, J. L. Colvin, V. (2004). The differential cytotoxicity of water-soluble fullerenes. *Nano Letters*, 4(10): 1881-1887.

Sayes, C. M., Gobin, A. M., Ausman, K. D., Mendez, J., West, J. L. Colvin, V. L. (2005). Nano-C60 cytotoxicity is due to lipid peroxidation. *Biomaterials*, 26, 7587-7595.

SCCNFP (2000) Opinion of the Scientific Committee on Cosmetic Products and Non-food Products Intended for Consumers concerning Titanium Dioxide, Colipa n° S75. Adopted by the SCCNFP during the 14th plenary meeting of 24 October 2000. SCCNFP/0005/98

SCENIHR (2005) Scientific Committee on Emerging and Newly Identified Health Risks – Opinion on the appropriateness of existing methodologies to assess the potential risks associated with engineered and adventitious products of nanotechnologies. European Commission – Health and Consumer Protection Directorate.General. Adopted by the SCENIHR during the 7th plenary meeting of 28-29 September 2005.

Schuster, D.I., Wilson, S.R., Schinazi, R.F. (1996). Anti-human immunodeficiency virus activity and cytotoxicity of derivatized buckminsterfullerenes. *Bioorganic & Medicinal Chemistry Letters*, 6(11): 1253-1256.

Sera, N., Tokiwa, H. Miyata, N. (1996). Mutagenicity of the fullerene C60-generated singlet oxygen dependent formation of lipid peroxides. *Carcinogenesis*, 17, 2163-2169.

Shiohara, A., Hoshino, A., Hanaki, K., Suzuki, K. Yamamoto, K. (2004). On the cytotoxicity caused by quantum dots. *Microbiology and Immunology*, 48 (9), 669-675.

Shvedova, A. A., Castranova, V., Kisin, E. R., Schwegler-Berry, D., Murray, A. R., Gandelsman, V., Maynard, A., Baron, P. 2003. Exposure to carbon nanotube material: Assessment of nanotube cytotoxicity using human keratinocyte cells. *Journal of Toxicology and Environmental Health, Part A* (66), 1909-1926.

Shvedova, A. A., Kisin, E. R., Mercer, R., Murray, A. R., Johnson, V. J., Potapovich, A. I., Tyurina, Y. Y., Gorelik, O. Arepalli, S., Schwegler-Berry, D., Hubbs, A. F., Antonini, J., Evans, D. E., Ku, B. K., Ramsey, D., Maynard, A., Kagan, V. E., Castranova, V. Baron, P. (2005). Unusual inflammatory and fibrogenic pulmonary responses to single-

walled carbon nanotubes in mice. *American Journal of Physiology, Lung*, 289, 698-708.

Simeonova, P. P., Li, Z., Luster, M. I., Shvedova, A., Salmen, R. Hulderman, T. (2005). Carbon nanotubes exposure and cardiovascular outcomes. Paper presented at the 2nd International Symposium on Nanotechnology and Occupational Health, Oct. 3-6, Minneapolis, MN.

Soto, K.F., Carrasco, A., Powell, T.G., Garza, K.M., and Murr, L.E. (2005). Comparative in vitro cytotoxicity assessment of some manufactured nanoparticulate materials characterized by transmission electron microscopy. *Journal of Nanoparticle Research*, 7: 145-169. Abstract

Swiss Re (2004) Small matter, many unknowns. Swiss Reinsurance Company, Zürich. www.swissre.com

Takenaka, S. Dornhofer-Takenaka, H., Muhle, H. (1986) Alveolar distribution of fly ash and of titanium dioxide after long-term inhalation by Wistar rats. *Journal of Aerosol Science*, 17: 361-364.

Takenaka, S. Karg, E. Roth, C., Schulz, H., Ziesenis, A., Heinzmann, U., Schramel, P., Heyder, J. (2001). Pulmonary and systemic distribution of inhaled ultrafine silver particles in rats. *Environmental Health Perspectives*, 109 (Suppl. 4): 547-561.

Tokuyama, H., Yamago, S., Nakamura, E., Shiraki, T. Sugiura, Y. (1993). Photo-induced biochemical activity of fullerene carboxylic acid. *Journal of the American Society*, 115, 7918-7919.

Tsuchiya, T., Oguri, I., Nakajima, Y., Yamakoshi, N., Miyata, N. (1996). Novel harmful effects of [60]fullerene on mouse embryos in vitro and in vivo. *FEBS Letters*, 393, 139-145.

U.S. Environmental Protection Agency (USEPA). (2003). National ambient air quality standards for particulate matter; Prepared by USEPA.

Ueng, T.H., Kang, J. J., Wang, H. W., Cheng, Y. W., Chiang, L. Y. (1997). Suppression of microsomal cytochrome P450-dependent monooxygenases and mitochondrial oxidative phosphorylation by fullerenol, a polyhydroxylated fullerene C60. *Toxicology Letters*, 93(1), 29-37.

UK Government (2005) Characterising the potential risks posed by engineered nanoparticles. Department for Environment, Food and Rural Affairs, London.

US EPA (2005) Nanotechnology White Paper. Prepared for the U.S. Environmental Protection Agency by members of the Nanotechnology Workgroup, a group of EPA's Science Policy Council. December 2, 2005 External Review Draft <http://es.epa.gov/ncer/nano/publications/whitepaper12022005.pdf>

Vinardell, M. (2005). In vitro cytotoxicity of nanoparticles in mammalian germ-line

stem cell. *Toxicological Sciences*, 88(2): 285-286. Abstract

Vincent, J. H., Clement, C. F. (2002). Ultrafine particles in the urban air: To the respiratory tract-and beyond? *Environmental Health Perspectives*, 110, 440-441.

Voura, E. B., Jaiswal, J. K., Mattoussi, H., Simon, S. M. (2004). Tracking metastatic tumor cell extravasation with quantum dot nanocrystals and fluorescence emission-scanning microscopy. *Nat. Med.*, 10, 993-998.

VTU (2004) Teknologisk fremsyn om dansk nanovidenkab og nanoteknologi. Ministeriet for Videnskab, Teknologi og Udvikling. København.
<http://www.teknologiskfremsyn.dk/doc.php?id=428>

Warheit, D. B., Laurence, B. R., Reed, K. L., Roach, D. H., Reynolds, G. A. Webb, T. R. (2004). Comparative pulmonary toxicity assessment of single-wall carbon nanotubes in rats. *Toxicological Sciences*, 77, 117-125.

Warheit, D.B., Webb, T.R., Sayes, C.M., Colvin, V.L. Reed, K.L. (2006). Pulmonary instillation studies with nanoscale TiO₂ rods and dots in rats. *Toxicological Sciences*. Prepublication online. Abstract

Wolfe J (2005) Safer and guilt-free nano foods. *Forbes/Wolfe Nanotech Report* 08.10.05

Yamago, S., Tokuyama, H., Nakamura, E., Kikuchi, K., Kananishi, S., Suek, K., Nakahara, H., Enomoto, S., Ambe, F. (1995). In vivo biological behavior of a water-miscible fullerene: ¹⁴C labeling, absorption, distribution, excretion and acute toxicity. *Chemistry & Biology*, 2, 385-389.

Yan, S. L. Fan, C. H., Zhu, H.S. (2001). Photo-induced cytotoxicity of malonic acid [C60]fullerene derivatives and its mechanism. *Toxicology in Vitro*, 16: 41-46.

Yang L et al. (2005) Particle surface characteristics may play an important role in phytotoxicity of alumina nanoparticles, *Toxicology Letters* 158:122-132.

Yang L., Watts D.J. (2005). Particle surface characteristics may play an important role in

phytotoxicity of alumina nanoparticles. *Toxicol Lett* 158: 122-132.

Zanobetti, A, Schwartz, J, Samoli, E, et al. (2002). The temporal pattern of mortality responses to air pollution: a multicity assessment of mortality displacement. *Epidemiology*, 13:87-93.

Zhao, X., Striolo, A. Cummings, P.T. (2005). C60 binds to and deforms nucleotides. *Biophysical Journal* 89: 3856-3862.